

ACS 200[®] / ACZ nano[®] Dosage and Administration

Advanced Cellular Silver (ACS) 200[®] is a broad spectrum antimicrobial for Intra-oral administration. Therapeutic dosing is recommended to address acute and chronic conditions. In less than 5% of patients, Herxheimer effects can occur. Please see: http://www.resultsrna.com/products/acs_200_advisory.php

ACS 200[®] 4 ounce Intra-oral Spray

Loading Dose: Drink 1 – 2 ounces the first day. Begin either Maintenance or Therapeutic Dosage the following day.

Maintenance Dose: Take 5 sprays by mouth 2 - 3 times daily.

Therapeutic Dose: Take 10 sprays by mouth 4 times daily.

Children can take ½ adult dose.



ACS 200[®] 2 ounce Intra-oral Spray

Maintenance Dose: Take 5 sprays by mouth 2 – 3 times daily.

Therapeutic Dose: Take 10 sprays by mouth 4 times daily.

Children can take ½ adult dose.



ACS 200[®] SuperShot

Maintenance Dose: Drink first ounce (1/2 bottle contents) immediately. Drink the second ounce four or more hours following.

Therapeutic Dose: Drink entire contents immediately.

Children can take ½ adult dose.



ACZ nano[®] 2 ounce Intra-oral Spray

Chelating agent Advanced Cellular Zeolite (ACZ) nano[®] preferentially binds with the most toxic heavy metals such as mercury and lead and does not bind with larger, lighter nutrient metal ions such as potassium and magnesium. Numerous pre and post-provocation studies per urine elemental analysis prove that ACZ nano does not bind with nor increase the excretion of nutrient metals. Thus, nutritional supplementation as a supportive protocol to chelating with ACZ nano is not required.

Maintenance Dose: Take 5 sprays by mouth 2 – 3 times daily.

Therapeutic Dose: Take 10 sprays by mouth 4 times daily.

Children can take ½ adult dose.

